GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Public Servants – M.A. & U.D. Department – Allegation of irregularities in execution of sub-standard works in Saluru Municipality of Parvatipuram Manyam District – Departmental action initiated against Sri P.Ganapathi Rao, the then Executive Engineer and Three (3) others of Saluru Municipality, Parvatipuram Manyam District - Appointment of Sri P. Siva Prasada Raju, Chief Engineer, GVMC , Visakhapatnam as an Enquiry Officer - Orders – Issued.

MUNICIPAL ADMINISTRATION & URBAN DEVELOPMENT (VIG.1) DEPARTMENT

G.O.RT.No. 133 **Dated: 25-02-2025**

Read the following:-

1. G.O.Rt.No.702, MA & UD (Vig.I) Dept., dated: 19.09.2022.
2. G.O.Rt.Nos.677 to 680, MA & UD (Vig.I) Dept., dated: 30.08.2024.
3. Written statement of defence / served copies of charged officers.

* * *

O R D E R:

Whereas, an inquiry under Rule-20 of A.P. Civil Services (Classification, Control and Appeal) Rules, 1991 is being held against viz., 1) Sri P.Ganapathi Rao, the then Executive Engineer; 2) Sri TL Sudhakar, the then Deputy Executive Engineer; 3) Sri PNV Manikanta, the then Municipal Assistant Engineer; and 4) Sri A.P.S Johnson, the then Municipal Assistant Engineer of Saluru Municipality, Parvatipuram Manyam District on the allegations of irregularities in execution of sub-standard works in Saluru Municipality, Parvatipuram Manyam District.

2. Whereas, it is considered that an Inquiring Authority should be appointed to inquire into the charges framed against above said officers.

3. Now therefore, in exercise of the powers conferred by sub-rule (2) of Rule-20 of A.P. Civil Services (Classification, Control and Appeal) Rules 1991, the disciplinary authority hereby appoints Sri P. Siva Prasada Raju, Chief Engineer, GVMC, Visakhapatnam as an Enquiry Officer to inquire into the charges framed against the above said officials.

4. The Enquiry Officer shall submit his report within three (3) months.

5. The Engineer-in-Chief, Public Health, A.P., Guntur shall provide the required material such as Articles of Charges, written statement of defense of the Charged Officer etc., to the Enquiry Officer, immediately.

6. The receipt of the G.O., shall be acknowledged.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

S SURESH KUMAR
PRINCIPAL SECRETARY TO GOVERNMENT

To
Sri P. Siva Prasada Raju, Chief Engineer, GVMC , Visakhapatnam
Sri P.Ganapathi Rao, the then Executive Engineer, Salur Municipality,
Parvatipuram Manyam District.

(P.T.O)

Sri TL Sudhakar, the then Deputy Executive Engineer, Salur Municipality, Parvatipuram Manyam District.
Sri PNV Manikanta, the then Municipal Assistant Engineer, Salur Municipality, Parvatipuram Manyam District.
Sri A.P.S Johnson, the then Municipal Assistant Engineer, Salur Municipality, Parvatipuram Manyam District.

(through the Engineer-in-Chief, Public Health, A.P., Guntur).

The Engineer-in-Chief, Public Health, A.P., Guntur.

Copy to:

The Commissioner, Salur Municipality.
The Director General, G.A. (V&E) Dept., A.P., Vijayawada.
The Secretary to A.P.Vigilance Commission, 5th Building, A.P. Secretariat, Velagapudi.
SF/SCs(E.No:1820814).

//FORWARDED::BY ORDER//

SECTION OFFICER